



EXISTING ADMINISTRATION

EXISTING AUDITORIUM

EXISTING CLASSROOMS

ROOF PLAN

[illegible]

GENERAL NOTES

[illegible]

DRAINAGE NOTES

ALL BUILDINGS AND CHANGE WORK AND INSTALLATION WORK SHOWN FITTINGS TO COMPLY WITH THE RELEVANT LOCAL AUTHORITY BY LAWS, REGULATIONS AND STANDARDS.

ALL DRAIN PIPES MINIMUM FALL 1/20. MINIMUM FALL 1/10

ALL WASTE PIPES AND SOIL PIPES TO BE FALLS ACCESSIBLE ALONG ENTIRE LENGTH OF THE

1. ALL CHANGES MADE AT EVERY JUNCTION AND CHANGE IN DIRECTION AND EVERY 24 METERS WITH MARKED CAPS AT GROUND LEVEL.

ALL WASTE PIPE OUTLETS TO HAVE APPROVED REVERSE TRAPS.

VENT PIPE FITTING TO BE MIN. 20 ABOVE ANY OPENING.

ALL BATHS/SHOWER TO HAVE ACCESSIBLE DRAIN

GULLIES TO BE TRAPPED AND WITH SUITABLE GULLY GRATING AND TO BE 150mm ABOVE SURROUNDING LEVELS.

ALL DRAINING UNDER BUILDINGS OR FLOORS TO BE ENCASED IN 150mm CONCRETE ALL ROUND THE PERIMETER.

WASTE PIPES IN FLOORS TO BE GULFED AND BE FITTED WITH EASILY ACCESSIBLE I.E. ALL TOP LIFT AND TOP LIFT ACCESSIBLE

NO DRAIN BENDS OR JUNCTIONS IN OR UNDER FLOOR SLAB

KEEP ALL DRAINS 600MM FROM CONCRETE FOUNDATIONS.

consultant



discipline _____

service

NEW ABLUTION BLOCK &
OFFICES FOR MICHAEL MOUNT
WALDORF SCHOOL

Project No: 18/02

drawing title

CONCRETE ROOF PLAN

ref.no	designed	Designer
scale	1 : 50	drawn
date	25/07/18	checked
		revision
		0

drawing number 18/02-204